




## Hearth Products Controls Co CSA CERTIFIED-OUTDOOR USE ONLY FOR COMMERCIAL AND RESIDENTIAL USE

HEARTH PRODUCTS CONTROLS 3050 PLAINFIELD RD. KETTERING, OH 45432 TOLL FREE: 1-877-433-7001

PHONE: (937) 433-7000 FAX: (937) 433-0704 www.hpcfire.com







## SPARK IGNITION BY AA BATTERY MATERIAL: 304 STAINLESS STEEL

	DIMENSION CHART				
PART NUMBERS	PAN	PENTA	TORPEDO	A"	STND FLEX LINE LENGTH
		BTU	BTU		
FPPK18-SQBL-FLEX	18"X18"	90K	90K	45"	36"
FPPK24-SQBL-FLEX	24"X24"	150K	140K	54"	36"
FPPK30-SQBL-FLEX	30"X30"	250K	185K	54"	36"
FPPK36-SQBL-FLEX	36"X36"	250K	185K	54"	36"

## NOTES:

- PROPER VENTING
  - ENCLOSURES:
    - For Fire Pit Inserts upto 200K BTU: Required 2 vents, 18 sq.in. each on opposing sides.
  - For Fire Pit Inserts 200K to 400K BTU: Required 4 vents, 18 sq.in. each on opposing sides.
  - BOWLS (Copper, concrete or metal) Bowl to be raised above mounting surface minimum of 3/4" gap;
     Bowl to have a minimum of 6" diameter hole in bottom

## 2. GAS SUPPLY

- Natural Gas: Supply Pressure: Minimum: 3.5" W.C; Maximum: 7.0" W.C.
- LP Gas: Supply Pressure: Minimum: 8" W.C.; Maximum: 11.0" W.C.

IMPORTANT: Ensure any flex line that may be used from the permanent main fuel supply to the product is rated to the stated max btu of the product and certified to ANSI Z21.75\*CSA 6.27.

- 3. MODIFICATION OF PRODUCT WILL VOID ANY CERTIFICATION AND WARRANTY.
- 4. FOLLOW ALL MANUFACTURER'S INSTALLATION INSTRUCTIONS AND LOCAL CODES.
- 5. ALL DIMENSIONS ARE CONSIDERED TRUE AND REFLECT MANUFACTURER'S SPECIFICATIONS AS OF THE REVISION DATE.
- 6. DO NOT SCALE DRAWING.
- 7. THESE DRAWINGS ARE FOR SIZING AND PLANNING PURPOSES. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT. THE MANUFACTURER IS RESPONSIBLE FOR THE ACCURACY OF THE DRAWING.
- 8. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info REFERENCE NUMBER 771-048.



PUSH BUTTON/FLAME SENSING FIRE PIT INSERT - WITH FLEX LINE BOWL SQUARE PAN - FPPK

771-062 REVISION DATE 6/22/2023